



# Marine Life Protection Act Initiative



## Science Guidelines and Draft Options for MPA Arrays and Draft External MPA Proposals Evaluations North Central Coast Study Region

Presentation to the North Central Coast Regional Stakeholder Group

November 28, 2007 • San Rafael, CA

Presented by Dr. Mark Carr, Master Plan Science Advisory Team



# Master Plan Science Advisory Team



MLPA goals



Science guidelines for MPA design




Evaluation of preliminary proposals



# MLPA Goals - Habitats


1. To protect the natural diversity and function of **marine ecosystems**.
2. To help sustain and restore **marine life populations**.
3. To improve **recreational, educational, and study opportunities** in areas with minimal human disturbance.
4. To protect representative and unique **marine life habitats**.
5. Clear objectives, effective management, adequate enforcement, sound science.
6. To ensure that MPAs are designed and managed as a **network**.





# MLPA Goals - Habitats

1. To protect the natural diversity and function of **marine ecosystems**.
2. To help sustain and restore **marine life populations**.
3. To improve **recreational, educational, and study opportunities** in areas with minimal human disturbance.
4. To protect representative and unique **marine life habitats**.
5. Clear objectives, effective management, adequate enforcement, sound science.
6. To ensure that MPAs are designed and managed as a **network**.





# SAT Guidelines - Goals 1 and 4

## *MLPA Goals:*

- 1) Protect natural diversity and function of marine ecosystems*
- 4) Protect representative and unique marine life habitats*

## SAT Approach



-  Refined key habitats for NCCSR
-  Defined biogeographic subregions
-  Refined and described level of protection designations
-  Evaluated habitat representation in MPAs



# SAT Guidelines - Goals 1 and 4

## Identified Key Habitats Using:

- Bottom Type and Depth Categories
- Biogenic Habitats
- Oceanographic Features





# SAT Guidelines - Goals 1 and 4

## Key Marine Habitats

### Seafloor Habitats

- Rocky reefs
- Intertidal zones
- Sandy or soft ocean bottoms
- Underwater pinnacles
- Submarine canyons

### Biogenic Habitats

- Kelp forests
- Seagrass beds

### Depth Zones

- Intertidal
- Intertidal to 30 m
- 30 to 100 m
- 100 to 200 m
- 200 m and deeper

### Oceanographic Habitats

- Upwelling areas
- Freshwater plumes
- Retention zones




# SAT Guidelines - Goals 1 and 4

## Used GIS to Locate Habitats

Identified geographic distribution

Estimated area of each habitat type for study area and subregions

Estimated area or linear extent of habitat in each MPA



# SAT Guidelines - Goals 1 and 4




## Three subregions

- North (Pt. Reyes to Pt Arena)
- South (Pigeon Pt. to Pt. Reyes)
- Farallon Islands

## Based upon

- Species and community distributions
- Geomorphology
- Oceanography





# SAT Guidelines – Levels of Protection

**Designated levels of protection based on potential impacts of proposed activities**



## direct impacts

- habitat damage
- incidental removal or mortality of non-target species



## indirect impacts

- potential ecosystem effects caused by removing target or associated catch species



# SAT Guidelines – Levels of Protection

## The Question:

“Would there be a difference between ecosystems within an MPA that prohibits take of this species versus an area outside of the MPA where take is allowed?”

### Yes if:

-  habitat is damaged
-  many species are removed
-  removed species play an important role in the resident ecosystem (predator, prey, competitor etc.)

### No if:

-  no habitat damage
-  little associated catch
-  species removed are highly mobile so MPAs won't change local abundance



# SAT Guidelines - Goals 1 and 4

	Level of Protection	MPA Types	Activities associated with this protection level
	Very high	SMR	No take
	High	SMCA	<b>salmon</b> (troll H&L in water greater than 50m depth), <b>sardine, anchovy, and herring</b> (pelagic seine)
	Mod-high	SMCA	<b>salmon</b> (troll H&L in water less than 50m depth), <b>Dungeness crab</b> (traps/pots), <b>squid</b> (pelagic seine)
	Moderate	SMCA SMP	<b>salmon</b> (non-troll H&L), <b>abalone</b> (diving), <b>halibut, white seabass, shore-based finfish and flatfishes</b> (H&L), <b>clams</b> (hand harvest), <b>giant kelp</b> (hand harvest)
	Low-mod	SMCA SMP	<b>Urchin</b> (diving), <b>lingcod, cabezon, greenling, rockfish, and other reef fish</b> (H&L), <b>surfperches</b> (H&L)
	Low	SMCA SMP	<b>bull kelp and mussels</b> (any method), <b>all trawling, giant kelp</b> (mechanical harvest)



# SAT Guidelines - Goals 1 and 4

## NCCSR Protection

	CCSR Level of Protect.	MPA Type	Activities associated with this protection level
	High	SMR, SMCA	<b>No take salmon</b> (in water greater than 50m depth),* <b>coastal pelagics</b> (sardine, anchovy, herring)
	Moderate	SMCA	<b>salmon</b> (in water less than 50m depth), <b>crab</b> (traps/pots), <b>squid</b> (pelagic seine), <b>spot prawn</b> (traps/pots), <b>giant kelp</b> (hand harvest)
	Low	SMCA	<b>all others</b> , <b>giant kelp</b> (mechanical harvest)

Very High

High

Mod-high

Moderate

Low-mod

Low



# Evaluation – Goals 1 and 4

## Key Questions for Each Proposed Package


1. How Well are Key Habitat Types Represented in Proposed MPA Packages?
2. What are the Proposed Levels of Protection for these Habitat Types?
3. How Well are Habitats and Levels of Protection Distributed Across the Study Region?



# Results: Habitat Representation

## Similarities between proposals

-  similarities in number, size and location of MPAs as well as the habitats they include
-  clusters of MPAs with an inshore SMR and offshore SMCA that allows various fishing activities
-  shoreline and shallow habitats are generally well represented in very high protection MPAs
-  many MPAs located in rocky reef habitat






# Results: Habitat Representation

## Similarities between proposals

-  estuarine habitats are generally well represented in very high protection MPAs
-  most proposals protected more of these habitats in the south subregion (Drakes Estero)
-  only two proposals specifically targeted large proportions of estuarine habitats in the north subregion (EA & EB)






# Results: Habitat Representation

## Shallow Bottom Habitats



Proposals target shallow rocky reef, especially in north subregion

The lower proportion of shallow soft bottom included in MPAs reflects, in part, the large available area of this habitat

Shallow Rocky Reef (67 mi)



Shallow Soft Bottom (149 mi<sup>2</sup>)





# Results: Habitat Representation


## Deep Bottom Habitats

Proportion of deep hard bottom in very high protection varies markedly between proposals



Areas of deep rocky reef protected at mod-high and moderate levels of protection (m-h = crabbing/ unspecified salmon, mod = halibut)

Large areas of deep soft bottom protected at mod-high and moderate levels of protection (m-h = crabbing/ unspecified salmon, mod = halibut)

Deep Rocky Reef (52 mi<sup>2</sup>)



Deep Soft Bottom (414 mi<sup>2</sup>)





# Results: Habitat Representation

## Summary



soft bottom habitats less represented in high protection MPAs, but assessment of shallow soft bottom habitat availability needs to be revisited (much unknown)



several MPAs received lower protection level designations because of insufficient information (e.g., salmon gear, fate of existing mariculture activities)



representation of some habitats varied across subregions:

- better represented in south: tidal flats, eelgrass, estuaries, shallow soft bottom
- better represented in north: deep and shallow rocky reef



kelp habitat is not well mapped – need to know relationship between shallow rock and kelp



# SAT Preliminary Evaluations



© Norah Saarman